

Replacement Claims

1. (Currently Amended) A method for surveying a user, comprising the steps of:
presenting at least a sequence of one questions to said user, said at least a sequence of one questions being pertinent for determination of a matching of said user to at least one affinity group, the affinity group being determined from a plurality of pre-existing user profiles to said user, and wherein a next question to be presented to said user in said sequence of questions is at least partially influenced from the set of affinity groups the user is associated to, as determined by at least an answer received to a previously presented question;
receiving an answer to a question of said sequence of questions and
creating a user profile for said user based on said user's answers to said sequence of at least one questions, wherein said user profile is comprised of said sequence of at least one questions and at least a corresponding answers;
receiving an answer to a question of said sequence of questions and
performing at least one of: adding associating said user profile to one or more pre-existing affinity groups, creating at least one new affinity group and associating said user profile with said new affinity group; and

storing said user profile.
2. (Original) The method of Claim 1, wherein said question is comprised of a set of one or more question fields that form a logical grouping of questions into a single record.
3. (Cancelled)
4. (Currently Amended) The method of Claim 13, wherein said next at least another question is presented as a result of being at least one of:

~~the most popularity of said at least another next question for within said~~
~~at least an affinity group associated with said user profile;~~

~~the being a most frequently answered said at least another next question~~
~~for within said at least an affinity group associated with said user profile;~~

~~the being a most recently answered said at least another next question~~
~~within said at least an affinity group associated with said user profile;~~

~~a pre-determined next question for an affinity group associated with said~~
~~user profile; and~~

~~in relation to said at least a one or more questions previously answered~~
~~in said sequence of questions.~~

5. (Original) The method of Claim 5, wherein said open text allows said user to add a new answer to said at least a corresponding answer.
6. (Original) The method of Claim 6, wherein said new answer is used as one of said respective answers when said at least as question is suggested.
7. (Original) The method of Claim 1, wherein said at least a question may have one or more possible answers displayed.
8. (Original) The method of Claim 1, wherein said user may select one or more answers to said question.
9. (Original) The method of Claim 8, wherein said one or more possible answers displayed is based on at least one of:
 - popularity of an answer within said at least an affinity group;
 - being a most frequent answer within said at least an affinity group;

and

being a most recent answer within said at least an affinity group.

10. (Original) The method of Claim 1, further comprising the step of:
filtering said user's answers to said question.
11. (Original) The method of Claim 11, wherein said filtering is performed in
at least one of real-time and batch mode.
12. (Original) The method of Claim 11, wherein said filtering further comprises
the modification of an answer to said question based on at least one of:
predetermined criterion;
one or more filtering rules;
consistency with previously answered questions;
consistency with all answered questions; and
consistency with answers of at least said affinity group.
13. (Original) The method of Claim 1, further comprising the steps of:
periodically creating a new affinity group; and
associating at least a user to said new affinity group.
14. (Original) The method of Claim 1, further comprising the step of:
creating a new affinity group by a user.
15. (Original) The method of Claim 15, further comprising the step of:
associating matching user profiles with said new affinity group.
16. (Original) The method of Claim 1, further comprising:
the steps of providing a report.
17. (Original) The method of Claim 17, wherein the generation of said report
is constrained by at least one of an attribute of said user profile and a
goal.

18. (Original) The method of Claim 18, wherein said goal comprises at least one of:
 - a profile attribute value;
 - a range of profile attribute values;
 - a Boolean value reflective of a set of values;
 - a Boolean value reflective of a set of non-values;
 - a date range;
 - a minimum count of matching profiles;
 - a maximum count of matching profiles;
 - a question filter; and
 - a match score threshold.
19. (Original) The method of Claim 18, wherein said constraint results are weighted such that deterministic fields have a higher score than non-deterministic fields.
20. (Original) The method of Claim 18, wherein for the purpose of providing said report, said method comprises the step of matching to at least one of said affinity groups at least one of a goal and a user profile.
21. (Original) The method of Claim 21, further comprising the step of:
 - determining the best match.
22. (Original) The method of Claim 21, further comprising the step of:
 - determining one or more matches which are the best matches from a plurality of possible matches.
23. (Original) The method of Claim 23, wherein said matches are arranged by order of match score, said order being grouped to at least two levels of matches, based on said score.
24. (Original) The method of Claim 21, wherein said step of matching further

comprises the steps of:

scoring of each match with said affinity groups ;and

weighting the importance of including each said match in the aggregation of said report.

25. (Original) The method of Claim 21, wherein said step of matching to at least one of said affinity groups further comprises the steps of:
classifying of each match with said affinity groups as being one of key in meeting said goal and ancillary in meeting said goal.
26. (Original) The method of Claim 18, wherein said goal is one of a personal goal and an informative goal.
27. (Original) The method of Claim 27, wherein said informative goal provides aggregated information pertaining to a plurality of user profiles.
28. (Original) The method of Claim 28, wherein said aggregated information comprises at least statistical information.
29. (Original) The method of Claim 27, wherein said report resulting of said personal goal provides a comparison of the user having said user profile to at least one of a plurality of user profiles and an affinity group.
30. (Original) A method for a compensation survey of a user, comprising the steps of:
presenting at least one question to said user, said at least one question being pertinent for determination of at least compensation within an affinity group of said user, and further presenting at least another question which is a result of an answer provided by said user in response to a previous question presented to said user;
creating a user profile for said user based on said user's answers to said at least one question, wherein said user profile is comprised of said at least one question and at least one corresponding answer;

adding said user profile to one or more affinity groups; and
storing said user profile.

31. (Currently Amended) A method for a compensation survey of a user, comprising the steps of:
- presenting at least a sequence of one questions to said user, said at least a sequence of one questions being pertinent for determination of at least a compensation specific to said user within an affinity group the affinity group being determined from a plurality of pre-existing user profilesto said user, and wherein a next question to be presented to said user in said sequence of questions is at least partially influenced from the set of affinity groups the user is associated to, as determined by at least an answer received to a previously presented question;
- receiving an answer to a question of said sequence of questions and creating a user profile for said user based on said user's answers to said sequence of at least one questions, wherein said user profile is comprised of said sequence of at least one questions and at least one corresponding answers;
- receiving an answer to a question of said sequence of questions and performing at least one of: adding associating said user profile to one or more pre-existing affinity groups, creating at least one new affinity group and associating said user profile with said new affinity group; and
- storing said user profile.

32. (Original) The method of Claim 31, wherein said at least another question is presented as a result of at least one of:
- popularity of said at least another question within said at least an affinity group, being a most frequently answered said at least another question within said at least an affinity group, being a most recently answered said at least another question within said at least an affinity
- }

group, being a pre-determined said at least another question for at least an affinity group, relation to said at least a question.

33. (Cancelled)
34. (Currently Amended) The method of Claim 31, wherein said next at least another question is presented as a result of being at least one of: the most popularity of said at least another next question within for said at least an affinity group associated with said user profile, the being a most frequently answered said at least another next question for within said at least an affinity group associated with said user profile, the being a most recently answered said at least another next question within said at least an affinity group associated with said user profile, a pre-determined next question for an affinity group associated with said user profile, in relation to said at least a one or more questions previously answered in said sequence of questions.
35. (Original) The method of Claim 36, wherein said new answer is used as one of said respective answers when said at least as question is suggested.
36. (Original) The method of Claim 31, wherein said at least a question may have one or more possible answers displayed.
37. (Original) The method of Claim 31, wherein said user may select one or more answers to said question.
38. (Original) The method of Claim 38, wherein said one or more possible answers displayed is based on any of:
popularity of an answer within said at least an affinity group;
being a most frequent answer within said at least an affinity group; and
being a most recent answer within said at least an affinity group.

39. (Original) The method of Claim 31, further comprising the step of:
filtering said user's answers to said question.
40. (Original) The method of Claim 41, wherein said filtering is performed in
at least one of real-time and batch mode.
41. (Original) The method of Claim 41, said filtering further comprising the
step of:
modifying an answer to said question based on any of:
predetermined criterion;
one or more filtering rules;
consistency with previously answered questions;
consistency with all answered questions; and
consistency with answers of at least said affinity group.
42. (Original) The method of Claim 31, further comprising the steps of:
periodically creating a new affinity group; and
associating at least one user to said new affinity group.
43. (Original) The method of Claim 31, further comprising the step of:
creating a new affinity group by a user.
44. (Original) The method of Claim 45, further comprising the step of:
associating matching user profiles with said new affinity group.
45. (Original) The method of Claim 31, wherein said affinity group comprises
any of:
profession;
geographic location;
compensation;
compensation range;

experience;
experience range;
position; and
position range.

46. (Original) The method of Claim 31, further comprising the step of:
providing a compensation report.
47. (Original) The method of Claim 48, wherein the generation of said
compensation report is constrained by at least one of an attribute of said
user profile and a goal.
48. (Original) The method of Claim 49, further comprising the step of:
weighting said constraint results, wherein deterministic fields have
a higher score than non-deterministic fields.
49. (Original) The method of Claim 49, wherein said goal comprises any of:
a desired compensation;
a desired range of compensation;
a desired geographic location;
a desired firm; and
a desired range of firms.
50. (Currently Amended) The method of Claim 49, further comprising the
step of:

weighting said constraint results, wherein deterministic fields have a
higher priority score than non-deterministic fields.
51. (Original) The method of Claim 52, further comprising the step of:
determining a best match.
52. (Original) The method of Claim 52, further comprising the step of:

determining one or more matches which are best matches from a plurality of possible matches.

53. (Original) The method of Claim 54, wherein said matches are arranged by order of match score, said order being grouped to at least two levels of matches, based on said score.
54. (Original) The method of Claim 52, wherein said step of matching further comprises the steps of:
 - the scoring of each match with said affinity groups; and
 - weighting importance of including best match in an aggregation of said report.
55. (Original) The method of Claim 49, wherein said goal is any of a personal goal and an informative goal.
56. (Original) The method of Claim 57, wherein said personal goal is any of:
 - compensation;
 - compensation range;
 - salary;
 - salary range;
 - geographic location;
 - position; and
 - position range.
57. (Original) The method of Claim 57, wherein said informative goal provides aggregated information pertaining to a plurality of user profiles.
58. (Original) The method of Claim 59, wherein said aggregated information comprises at least statistical information.
59. (Original) The method of Claim 60, wherein said statistical information comprises any of:

- average compensation;
- average salary;
- median compensation;
- median salary;
- salary percentile;
- standard deviation;
- trend;
- profile count;
- most frequent compensation; and
- most frequent salary.

60. (Original) The method of Claim 57, wherein said report resulting from said personal goal provides a comparison of a user having said user profile to at least one of a plurality of user profiles and an affinity group.

61. (Original) The method of Claim 31, wherein said compensation any of:

- annual salary;
- monthly salary;
- weekly salary;
- hourly rate;
- bonus;
- tip;
- benefits; and
- vacation time.

62. (Original) A system for compensation surveying and reporting, comprising:

- means for accessing a Website, said Website being connected to a network;

- means for surveying a user for information pertinent for determination of compensation, said surveying comprising of presenting at least a question which is a result of an answer to a previous question presented to said user;

means for creating a user profile for said user based on gathering of said information, said user profile further comprised of at least one question and one corresponding answer;

means for storing said user profile; and

means for matching an attribute of said user profile with at least affinity group, said affinity groups being previously stored in said storage means.

63. (Original) A method for matching a user profile to a plurality of user profiles, comprising the steps of:

receiving a first user profile;

assigning a score value to at least one match group;

matching said first user profile with at least a second user profile from said plurality of user profiles and assigning an overall fitness score; and

reporting said fitness score.

64. (Currently Amended) A system for compensation surveying and reporting, comprising:

means for accessing a Website, said Website being connected to a network;

means for surveying a user for information pertinent for determination of compensation, said surveying comprises the presenting at least a sequence of questions to said user, said at least a sequence of questions being pertinent for determination of an affinity of said user to at least one affinity group the affinity group being determined from a plurality of pre-existing user profiles or a new affinity group created in association with said user, and wherein a next question to be presented to said user in said sequence of questions is at least partially influenced from the set of affinity groups the user is associated to, as determined by at least an answer received to a previously presented question

means for creating a user profile for said user based on gathering of said

information, said user profile further comprised of at least one said sequence of questions and one corresponding answers;
means for storing said user profile; and
means for matching an attribute of said user profile with at least affinity group, said at least affinity groups being one of: previously stored in said storage means, created in respect of said user profile.

65. (Original) The method of Claim 66, wherein said weight is proportionate to at least the importance of a score value of said match group to the said overall fitness score.
66. (Original) The method of Claim 66, wherein said match group is further comprised of at least one of match field and an affinity group.
67. (Original) The method of Claim 68, wherein said match field comprises a score value.
68. (Original) The method of Claim 68, wherein said affinity group comprises a score value.
69. (Original) The method of Claim 65, wherein said match group comprises further one of a deterministic and a non-deterministic match group.
70. (Original) The method of Claim 71, wherein a score is determined for a profile only if there exists a match to at least said deterministic match group.
71. (Original) The method of Claim 65, wherein said matching comprises the steps of:
 - a) selecting said second user profile from a plurality of user profiles not previously matched with said first user profile;
 - b) comparing a match field of said first user profile to a respective match field of said second user profile, and determining a match group

score;

c) repeating step b) until all match fields requiring a comparison are matched between said first user profile and said second user profile;

d) assigning a fitness score to said second user profile based on the plurality of said scores determined in step b);

e) repeating the method steps from step a) until all available user profiles are matched against said first user profile;

f) reporting the fitness scores.

72. (Original) The method of Claim 73, wherein said step b) further comprises the step of
matching at least one of a match field and an affinity.
73. (Original) The method of Claim 74, wherein said fitness score is at least a tally of score values of at least one of a match group, a match field, and an affinity.
74. (Original) The method of Claim 73, wherein said fitness scores of step f) are sorted by order of fitness.
75. (Original) The method of Claim 76, wherein user profiles having a highest fitness scores are grouped into an affinity group.
76. (Original) The method of Claim 77, wherein a number of user profiles is determined using any of:
a minimum fitness score of a user profile;
range of fitness scores;
an absolute number of the user profiles;
a defined percent of user profiles; and
a date range of user profiles.

77. (Original) The method of Claim 65, further comprising the steps of:
receiving information of a type of report requested;
if said report is of a type requiring receipt of financial commitment,
then receiving relevant information;
providing the desired report.
78. (Original) The method of Claim 79, wherein said receipt of financial commitment comprises the step of
receiving any of credit card information, debit card information,
purchase order information, coupon information, and check information.
79. (Original) The method of Claim 65, wherein said plurality of user profiles comprises an affinity group.
80. (Original) The method of Claim 65, wherein said fitness score is at least a weighted score of at least one of a match group, a match field, and an affinity group.
81. (Original) A computer software product containing instructions for matching a user profile to a plurality of user profiles, the instructions further being capable of executing at least the steps of:
receiving a first user profile;
assigning a score value to at least a match group;
matching said first user profile with at least a second user profile from said plurality of user profiles;
assigning a fitness score to said at least second user profile; and
reporting the fitness score of at least said second user profile.
82. (Original) The computer software product of Claim 83, wherein said matching step comprises the steps of:
a) selecting said second user profile from a plurality of user profiles not previously matched with said first user profile;

- b) comparing a match field of said first user profile to a respective match field of said second user profile, and determining a score;
- c) repeating step b) until all match fields requiring a comparison are matched between said first user profile and said second user profile;
- d) assigning a fitness score to said second user profile based on the plurality of said scores determined in step b);
- e) repeating the method from step a) until all available user profiles are matched against said first user profile; and
- f) reporting the fitness scores.

83. (Original) The computer software product of Claim 84, wherein said step b) further comprises the step of:

matching at least one of a match field and an affinity.

84. (Original) The computer software product of Claim 83, further comprising the steps of:

receiving information of the type of report requested;

if said report is of a type requiring receipt of financial commitment, then receiving relevant information; and

providing a desired report.

85. (Original) A method for matching a user profile to at least an affinity group, comprising the steps of:

receiving a first user profile;

assigning a score value to at least a match group;

matching said first user profile with said at least an affinity of said affinity group;

assigning a fitness score to said affinity group; and

reporting said fitness score.

86 (Original) The method of Claim 87, wherein said matching step comprises the steps of:

a) selecting said first affinity group from a plurality of affinity

groups not previously matched with said first user profile;

b) comparing a match field of said first user profile to a respective match field of said first affinity, and determining a match group score;

c) repeating step b) until all match groups requiring a comparison are matched between said first user profile and said first affinity;

d) assigning a fitness score to said affinity group based on the plurality of said scores determined in step b);

e) repeating the method from step a) until all available affinity groups are matched against said first user profile; and

f) reporting the fitness scores.

87. (Original) The method of Claim 87, further comprising the steps of:

receiving information of a type of report requested;

if said report is of a type requiring receipt of financial commitment, then receiving the relevant information; and

providing a desired report.

88. (Original) A computer software product containing instructions for matching a user profile to at least an affinity group, the instructions further being capable of executing at least the steps of:

receiving a first user profile;

assigning a score value to at least a match group;

matching said first user profile with at least an affinity of said affinity ;

assigning a fitness score to said affinity group; and

reporting the fitness score of at least said first affinity group.

89. (Original) The computer software product of Claim 90, wherein said matching step comprises the steps of:

a) selecting said first affinity group from a plurality of affinity groups not previously matched with said first user profile;

b) comparing a match field of said first user profile to the respective match field of said first affinity, and determining a match

group score;

c) repeating step b) until all match groups requiring a comparison are matched between said first user profile and said first affinity;

d) assigning a fitness score to said affinity group based on a plurality of said scores determined in step b);

e) repeating the method from step a) until all available affinity groups are matched against said first user profile; and

f) reporting fitness scores.

90. (Original) The computer software product of Claim 90, further comprising the steps of:

receiving information of a type of report requested;

if said report is of a type requiring receipt of financial commitment, then receiving relevant information; and

providing a desired report.

91. (Original) An apparatus for performing automated surveys, comprising:

database means containing at least a plurality of prospective survey questions and prospective answers;

memory means for storing code, wherein said code contains at least code to perform an automated survey using said plurality of survey questions and prospective answers, for selecting a questions and respective prospect answers based on at least a response provided to a previous question, code for creating a user profile, code for creating at least an affinity group based on a plurality of user profiles, and code for association of said user profile with at least an affinity group;

computational means for executing said code; and

communication means for communication with at least a user.

92. (Original) The apparatus of Claim 93, said database means further comprising:

at least one of user profiles database, affinity groups database, and reporting definitions.

93. (Original) The apparatus of Claim 93, wherein said code to perform an automated survey selects one of said plurality of survey questions based on at least one of answers provided by said user, said user profile, and an affinity group.
94. (Original) The apparatus of Claim 93, further comprising:
means for periodically executing said code for creating at least an affinity group based on a plurality of user profiles.
95. (Original) The apparatus of Claim 93, wherein said apparatus further comprises:
means for providing at least a report.
96. (Original) The apparatus of Claim 97, further comprising
means for providing said at least a report as at least one of a basic report and an extended report.
97. (Original) The apparatus of Claim 98, further comprising
means for allowing free access to said basic report.
98. (Original) The apparatus of Claim 98, further comprising:
means for receiving billing information for providing said extended report.
99. (Original) The apparatus of Claim 97, wherein said report is provided in view of at least one of a user profile and an affinity group.
100. (Original) The apparatus of Claim 93, wherein said communication means comprises at least one of a local area network, a wide area network, and the world-wide-web.
101. (Original) A system for the purpose of performing automated surveys,

comprising:

a network connected to at least a client, said client configured with at least a Web browser;

a database for storing at least a plurality of survey questions and prospective answers; and,

a server having access to said network and said database, said server configured to at least survey at least a user using said plurality of survey questions and prospective answers and for selecting said questions and respective prospect answers based on at least a response provided to a previous question, for creating user profiles, for creating at least an affinity group based on a plurality of user profiles, and for associating said user profile with at least an affinity group.